Jiang, Yaoguang; Huttunen, Annamarie W.; and Platt, Michael L. (2018) [Can a dog be jealous?](#). *Animal Sentience* 22(11)

DOI: 10.51291/2377-7478.1341

Date of submission: 2018-05-30

Date of acceptance: 2018-06-03

This article has appeared in the journal *Animal Sentience*, a peer-reviewed journal on animal cognition and feeling. It has been made open access, free for all, by WellBeing International and deposited in the WBI Studies Repository. For more information, please contact wbisr-info@wellbeingintl.org.

Can a dog be jealous?

Commentary on [Cook et al.](#) on *Dog Jealousy*

Yaoguang Jiang¹, Annamarie W. Huttunen², & Michael L. Platt^{1, 2, 3}

1. Department of Neuroscience, Perelman School of Medicine

2. Department of Marketing, The Wharton School

3. Department of Psychology, School of Arts and Sciences

University of Pennsylvania, Philadelphia, PA

Abstract: Whether humans alone experience complex emotions like jealousy or envy remains hotly debated, partly because of the difficulty of measuring them without a verbal report. Cook, Berns and colleagues use functional brain imaging to identify in dogs neural responses very similar to those evoked by jealousy in humans. When dogs see their caregiver reward a facsimile dog, their amygdala is activated and the strength of this response predicts aggressive behavior — just as jealousy leads to aggression in humans. The authors conclude that dogs feel something very similar to human jealousy. This novel and creative study tackles one of the most vexing challenges in neuroscience — understanding the unstated thoughts and feelings of others — with practical applications that go beyond getting closer to man’s best friend. The issue of whether a dog can be jealous nevertheless remains far from settled, as we discuss below.

[Yaoguang Jiang](#), postdoctoral researcher in the Platt lab at the University of Pennsylvania, uses behavioral, electrophysiological and pharmacological tools to investigate social decision-making with a focus on social interactions. [Website](#)

[Annamarie W. Huttunen](#), postdoctoral researcher in the Platt Lab at the University of Pennsylvania, does research exploring the neurobiological underpinnings of social decision making and economic biases in humans and animals. [Website](#)

[Michael L. Platt](#), James S. Riepe University Professor of Neuroscience, Psychology, and Marketing at the University of Pennsylvania, studies the comparative biology of cognition, with a focus on decision making and social interaction. [Website](#)

The philosopher Thomas Nagel (1974) famously asked whether humans were capable of understanding what it is like to be a bat. He argued that it is not logically tenable to comprehend others’ subjective experience, a perspective with a long history in philosophy going back to

Descartes ('I think, therefore I am'; 'I must ... conclude that the proposition, *I am, I exist*, is necessarily true whenever it is put forward by *me* or conceived in *my* mind') and Wittgenstein ('What gives us *so much as the idea* that beings, things, can feel?'). Advances in neuroscience have prompted us to reconsider this old proposition (Griffin 2001; Andrews 2014). In a series of studies dating back to 2012, neuroscientist Greg Berns and his colleagues at Emory University have used functional brain imaging to understand what it is like to be a dog. Their prior work has addressed questions familiar to all dog owners: Do our dogs love us? Do they value our praise more than food? Why are some dogs apparently more capable of self-control than others? How well do dogs recognize human faces (for reviews, see Cook et al. 2016; Berns & Cook 2016)?

People often respond aggressively when they are jealous, especially within a romantic relationship (Burk & Seiffge-Krenke 2015; Collibee & Furman 2016). In the current study, Cook et al. (2018) investigated whether a similar link between jealousy and aggression exists in dog–caretaker relationships. The authors trained 13 dogs to lie still in an MRI scanner (which was no small feat!) as their caregiver gave treats to either a realistic fake dog or an empty bucket. The authors focused on measuring activity in the amygdala, a brain region implicated in emotional responses (Adolphs 2001; LeDoux 2003; Barrett & Satpute 2013; Kragel & LaBar 2016) and associated specifically with signaling fear, anxiety, and perceived threats (Rosen & Schulkin 1998; Lang et al. 2000; Fox et al. 2015). They found that dogs scoring higher on the dog–dog aggression scale (measured with the Canine Behavioral Assessment & Research Questionnaire, C-BARQ) (Hsu & Serpell 2003; van den Berg et al. 2010) tended to show higher amygdala activity when watching their caregiver give treats to the fake dog than to the empty bucket. The authors conclude that dogs can experience something like jealousy in a situation that might elicit a similar emotion in children (Volling et al. 2002; Hart 2016). Notably, the heightened amygdala response returned to baseline with repeated exposure to the same caretaker–fake dog interaction, but only for the most aggressive dogs. This finding invites the possibility of using exposure therapy to mitigate “jealous” behaviors in highly aggressive dogs.

As the authors point out, the biological and psychological mechanisms underlying aggression are relatively well understood in mammals (Nelson & Trainor 2007; Rosell & Siever 2015), but jealousy is an indistinct and complex miasma of primary and social emotions, indicating a much broader network of underlying biological mechanisms (Buss 2014). While the current study serves as an important first step in understanding whether dogs feel jealousy the way we do, many unanswered questions remain.

The most important consideration is that this study relies fundamentally on the concept of reverse inference in cognitive neuroscience. This approach first identifies patterns of brain activity in humans — in this case, heightened amygdala response — corresponding to a situation that induces jealousy. Based on this, Berns and colleagues argue that similar patterns of activity in dogs are indicative of similar mental states. If we were comparing people from different cultures, age groups, or clinical backgrounds, this inference would indeed be widely accepted. Yet the extension of the same logic to a different species with which we last shared a common ancestor 80 to 100 million years ago (Blanchette et al. 2004) warrants more caution. This is basically a question of homology — about whether a trait (amygdala activation in an asymmetric social reward context) shared by two species is really the same thing. Answering the question of homology requires careful consideration of whether the trait is shared because of common

evolutionary history, emerges from the same primordial developmental sequence, and serves the same function (Platt & Spelke 2009).

Even if dogs are capable of feeling 'jealous', it's unclear whether the caretaker/fake-dog interactions used in this study are effective at eliciting such emotions. A recent study suggested that jealousy cannot be induced in dogs using fake conspecifics (Prato-Previde et al. 2018). In both studies, none of the dogs were overtly aggressive, or even visibly upset, by human/fake-dog interactions, calling into question whether the dogs really felt anything in the current study. It also remains unclear whether the activity evoked in the amygdala was specific to the social identity of the caregiver or merely reflected the negative contrast of a dog witnessing another dog receiving reward. Varying the identity and agency of the reward-giver as parameters is an important step missing from this study.

Another important but unaddressed question is the link between jealousy and aggression. In humans, aggression and jealousy are strongly related, but the causal arrow remains unclear. Indeed, many aggressive behaviors do not arise from jealousy, and, similarly, feeling jealous does not necessarily prompt aggression. In this study, amygdala activation was interpreted to indicate jealousy, but it is well known that the amygdala is associated with many different affective and social processes. Indeed, more studies link the amygdala directly to aggression (Coccaro et al. 2007; Matthies et al. 2012; Bobes et al. 2012; Pardini et al. 2014; Lozier et al. 2014) than to jealousy (Sun et al. 2016), casting doubt on the hypothesis that it is jealousy alone that causes some dogs to act aggressively.

Finally, there is more to aggression than the amygdala. In primates and rodents, aggression is linked to the neurotransmitter systems such as serotonin and dopamine; hormones like oxytocin, vasopressin and steroids; and the genes regulating these systems (Rosell & Siever 2015). A recent study linked endogenous oxytocin and vasopressin levels to aggression in dogs as well (MacLean et al. 2017). We now know that domestic dogs possess the 'friendliness' gene that in humans is linked to Williams-Beuren syndrome, a disorder characterized by hyper-social behavior (Haas & Smith 2015; Henrichsen et al. 2011; vonHoldt et al. 2017). In individual dogs or breeds that are overly aggressive, and in extreme and unfortunate cases have to be euthanized for such behavior, what has gone wrong with this system? And what therapeutic options do we have? The current findings of Cook et al. have important and practical implications for identifying the causes of aggression and support the possibility that exposure therapy may remedy aggressive behavior in dogs. Finally, this study brings to our attention the validity of using functional imaging as a tool for communicating with non-speaking individuals, be they preverbal children, brain-damaged patients, or our beloved pets, who may have something important to tell us.

References

- Adolphs, R. (2001). The neurobiology of social cognition. *Current Opinion in Neurobiology*, 11(2), 231-239.
- Andrews, K. (2014). *The animal mind: An introduction to the philosophy of animal cognition*. Routledge.
- Barrett, L. F., & Satpute, A. B. (2013). Large-scale brain networks in affective and social neuroscience: towards an integrative functional architecture of the brain. *Current Opinion in Neurobiology*, 23(3), 361-372.
- Berns, G. S., & Cook, P. F. (2016). Why did the dog walk into the MRI?. *Current Directions in Psychological Science*, 25(5), 363-369.
- Blanchette, M., Green, E. D., Miller, W., & Haussler, D. (2004). Reconstructing large regions of an ancestral mammalian genome in silico. *Genome Research*, 14(12), 2412-2423.
- Bobes, M. A., Ostrosky, F., Diaz, K., Romero, C., Borja, K., Santos, Y., & Valdés-Sosa, M. (2012). Linkage of functional and structural anomalies in the left amygdala of reactive-aggressive men. *Social Cognitive and Affective Neuroscience*, 8(8), 928-936.
- Burk, W. J., & Seiffge-Krenke, I. (2015). One-sided and mutually aggressive couples: Differences in attachment, conflict prevalence, and coping. *Child Abuse & Neglect*, 50, 254-266.
- Buss, A. H. (2014). *Social behavior and personality (Psychology Revivals)*. Routledge.
- Coccaro, E. F., McCloskey, M. S., Fitzgerald, D. A., & Phan, K. L. (2007). Amygdala and orbitofrontal reactivity to social threat in individuals with impulsive aggression. *Biological Psychiatry*, 62(2), 168-178.
- Collibee, C., & Furman, W. (2016). Chronic and acute relational risk factors for dating aggression in adolescence and young adulthood. *Journal of Youth and Adolescence*, 45(4), 763-776.
- Cook, P. F., Spivak, M., & Berns, G. (2016). Neurobehavioral evidence for individual differences in canine cognitive control: An awake fMRI study. *Animal Cognition*, 19(5), 867-878.
- Cook, P., Prichard, A., Spivak, M., & Berns, G. S. (2018). [Jealousy in dogs? Evidence from brain imaging](#). *Animal Sentience* 22(1).
- Fox, A. S., Oler, J. A., Tromp, D. P., Fudge, J. L., & Kalin, N. H. (2015). Extending the amygdala in theories of threat processing. *Trends in Neurosciences*, 38(5), 319-329.
- Griffin, D. (2001). *Animal minds: From cognition to consciousness*. Chicago: University of Chicago Press.
- Haas, B. W., & Smith, A. K. (2015). Oxytocin, vasopressin, and Williams syndrome: Epigenetic effects on abnormal social behavior. *Frontiers in Genetics*, 6, 28.
- Hart, S. L. (2016). Proximal foundations of jealousy: Expectations of exclusivity in the infant's first year of life. *Emotion Review*, 8(4), 358-366.
- Henrichsen, C. N., Csárdi, G., Zabot, M. T., Fusco, C., Bergmann, S., Merla, G., & Reymond, A. (2011). Using transcription modules to identify expression clusters perturbed in Williams-Beuren syndrome. *PLoS Computational Biology*, 7(1), e1001054.
- Hsu, Y., & Serpell, J. A. (2003). Development and validation of a questionnaire for measuring behavior and temperament traits in pet dogs. *Journal of the American Veterinary Medical Association*, 223(9), 1293-1300.
- Kragel, P. A., & LaBar, K. S. (2016). Decoding the nature of emotion in the brain. *Trends in Cognitive Sciences*, 20(6), 444-455.

- Lang, P. J., Davis, M., & Öhman, A. (2000). Fear and anxiety: Animal models and human cognitive psychophysiology. *Journal of Affective Disorders*, 61(3), 137-159.
- LeDoux, J. (2003). The emotional brain, fear, and the amygdala. *Cellular and Molecular Neurobiology*, 23(4-5), 727-738.
- Lozier, L. M., Cardinale, E. M., VanMeter, J. W., & Marsh, A. A. (2014). Mediation of the relationship between callous-unemotional traits and proactive aggression by amygdala response to fear among children with conduct problems. *JAMA Psychiatry*, 71(6), 627-636.
- MacLean, E. L., Gesquiere, L. R., Gruen, M. E., Sherman, B. L., Martin, W. L., & Carter, C. S. (2017). Endogenous oxytocin, vasopressin, and aggression in domestic dogs. *Frontiers in Psychology*, 8, 1613.
- Matthies, S., Rüsç, N., Weber, M., Lieb, K., Philipsen, A., Tuescher, O., Ebert, D., Hennig, J., & van Elst, L. T. (2012). Small amygdala – high aggression? The role of the amygdala in modulating aggression in healthy subjects. *The World Journal of Biological Psychiatry*, 13(1), 75-81.
- Nagel, T. (1974). What is it like to be a bat?. *The Philosophical Review*, 83(4), 435-450.
- Nelson, R. J., & Trainor, B. C. (2007). Neural mechanisms of aggression. *Nature Reviews Neuroscience*, 8(7), 536.
- Pardini, D. A., Raine, A., Erickson, K., & Loeber, R. (2014). Lower amygdala volume in men is associated with childhood aggression, early psychopathic traits, and future violence. *Biological Psychiatry*, 75(1), 73-80.
- Platt, M. L., & Spelke, E. S. (2009). What can developmental and comparative cognitive neuroscience tell us about the adult human brain?. *Current Opinion in Neurobiology*, 19(1), 1.
- Prato-Previde, E., Nicotra, V., Pelosi, A., & Valsecchi, P. (2018). Pet dogs' behavior when the owner and an unfamiliar person attend to a faux rival. *PloS One*, 13(4), e0194577.
- Rosell, D. R., & Siever, L. J. (2015). The neurobiology of aggression and violence. *CNS Spectrums*, 20(3), 254-279.
- Rosen, J. B., & Schulkin, J. (1998). From normal fear to pathological anxiety. *Psychological Review*, 105(2), 325.
- Van den Berg, S. M., Heuven, H. C., van den Berg, L., Duffy, D. L., & Serpell, J. A. (2010). Evaluation of the C-BARQ as a measure of stranger-directed aggression in three common dog breeds. *Applied Animal Behaviour Science*, 124(3), 136-141.
- Volling, B. L., McElwain, N. L., & Miller, A. L. (2002). Emotion regulation in context: The jealousy complex between young siblings and its relations with child and family characteristics. *Child Development*, 73(2), 581-600.
- VonHoldt, B. M., Shuldiner, E., Koch, I. J., Kartzinel, R. Y., Hogan, A., Brubaker, L., Wanser, S., Stahler, D., Wynne, C. D. L., Ostrander, E. A., Sinsheimer, J. S., & Udell, M. A. (2017). Structural variants in genes associated with human Williams-Beuren syndrome underlie stereotypical hypersociability in domestic dogs. *Science Advances*, 3(7), e1700398.

École d'été
en sciences
cognitives 2018

26 juin - 6 juillet

Summer School
in cognitive
sciences 2018

June 26th - July 6th

LE PROBLÈME DES
AUTRES ESPRITS

THE OTHER
MINDS PROBLEM

SENSIBILITÉ et
COGNITION ANIMALE

ANIMAL SENTIENCE and
COGNITION

UQAM | ISC
Institut des sciences cognitives

<https://sites.grenadine.uqam.ca/sites/isc/en/summer18>

[f](#) [t](#) @animalmind18

**ISC 2018 Summer School
in Cognitive Sciences**
June 26 - July 6, 2018
Montreal (Canada)

**The Other Minds
Problem: Animal
Sentience and Cognition**

Overview. Since Descartes, philosophers know there is no way to know for sure what — or whether — others feel (not even if they tell you). Science, however, is not about certainty but about probability and evidence. The 7.5 billion individual members of the human species can tell us what they are feeling. But there are 9 million other species on the planet (20 quintillion individuals), from elephants to jellyfish, with which humans share biological and cognitive ancestry, but not one other species can speak: Which of them can feel — and what do they feel? Their human spokespersons — the comparative psychologists, ethologists, evolutionists, and cognitive neurobiologists who are the world's leading experts in "mind-reading" other species — will provide a sweeping panorama of what it feels like to be an elephant, ape, whale, cow, pig, dog, chicken, bat, fish, lizard, lobster, snail: This growing body of facts about nonhuman sentience has profound implications not only for our understanding of human cognition, but for our treatment of other sentient species.

Gregory Berns: [Decoding the Dog's Mind with Awake Neuroimaging](#)

Gordon Burghardt: [Probing the Umwelt of Reptiles](#)

Jon Sakata: [Audience Effects on Communication Signals](#)

PANEL 1: Reptiles, Birds and Mammals

WORKSHOP 1: Kristin Andrews: [The "Other" Problems: Mind, Behavior, and Agency](#)

Sarah Brosnan: [How Do Primates Feel About Their Social Partners?](#)

Alexander Ophir: [The Cognitive Ecology of Monogamy](#)

Michael Hendricks: [Integrating Action and Perception in a Small Nervous System](#)

PANEL 2: Primates, Voles and Worms

WORKSHOP 2: Jonathan Birch: [Animal Sentience and the Precautionary Principle](#)

Malcolm MacIver: [How Sentience Changed After Fish Invaded Land 385 Million Years Ago](#)

Sarah Woolley: [Neural Mechanisms of Preference in Female Songbird](#)

Simon Reader: [Animal Social Learning: Implications for Understanding Others](#)

PANEL 3: Sea to Land to Air

WORKSHOP 3: Steven M. Wise: [Nonhuman Personhood](#)

Tomoko Ohyama: [Action Selection in a Small Brain \(Drosophila Maggot\)](#)

Mike Ryan: ["Crazy Love": Nonlinearity and Irrationality in Mate Choice](#)

Louis Lefebvre: [Animal Innovation: From Ecology to Neurotransmitters](#)

PANEL 4: Maggots, Frogs and Birds: Flexibility Evolving

SPECIAL EVENT: Mario Cyr: [Polar Bears](#)

Colin Chapman: [Why Do We Want to Think People Are Different?](#)

Vladimir Pradosudov: [Chickadee Spatial Cognition](#)

Jonathan Balcombe: [The Sentient World of Fishes](#)

PANEL 5: Similarities and Differences

WORKSHOP 5 (part 1): Gary Comstock: [A Cow's Concept of Her Future](#)

WORKSHOP 5 (part 2): Jean-Jacques Kona-Boun: [Physical and Mental Risks to Cattle and Horses in Rodeos](#)

Joshua Plotnik: [Thoughtful Trunks: Application of Elephant Cognition for Elephant Conservation](#)

Lori Marino: [Who Are Dolphins?](#)

Larry Young: [The Neurobiology of Social Bonding, Empathy and Social Loss in Monogamous Voles](#)

PANEL 6: Mammals All, Great and Small

WORKSHOP 6: Lori Marino: [The Inconvenient Truth About Thinking Chickens](#)

Andrew Adamatzky: [Slime Mould: Cognition Through Computation](#)

Frantisek Baluska & Stefano Mancuso: [What a Plant Knows and Perceives](#)

Arthur Reber: [A Novel Theory of the Origin of Mind: Conversations With a Caterpillar and a Bacterium](#)

PANEL 7: Microbes, Molds and Plants

WORKSHOP 7: Suzanne Held & Michael Mendl: [Pig Cognition and Why It Matters](#)

James Simmons: [What Is It Like To Be A Bat?](#)

Debbie Kelly: [Spatial Cognition in Food-Storing](#)

Steve Phelps: [Social Cognition Across Species](#)

PANEL 8: Social Space

WORKSHOP 8: [To be announced](#)

Lars Chittka: [The Mind of the Bee](#)

Reuven Dukas: [Insect Emotions: Mechanisms and Evolutionary Biology](#)

Adam Shriver: [Do Human Lesion Studies Tell Us the Cortex is Required for Pain Experiences?](#)

PANEL 9: The Invertebrate Mind

WORKSHOP 9: Delcianna Winders: [Nonhuman Animals in Sport and Entertainment](#)

Carel ten Cate: [Avian Capacity for Categorization and Abstraction](#)

Jennifer Mather: [Do Squid Have a Sense of Self?](#)

Steve Chang: [Neurobiology of Monkeys Thinking About Other Monkeys](#)

PANEL 10: Others in Mind

WORKSHOP 10: [The Legal Status of Sentient Nonhuman Species](#)